

Chestnuthill Township

Well Driller

Permit Application



PO Box 243, Rt. 715 S.
Brodheadsville, PA 18322
Phone: 570-992-7247 ext.29
Fax: 570-992-2225
Email: hbeers@chestnuthilltpa.gov
www.chestnuthilltpa.gov



Requirements:

1. Attach a complete dimensioned plot of the lot and location, include placement of the well on the plot plan and setbacks, include street names, any wetlands delineation; Show lot lines, and septic locations.
 2. Provide the Parcel Identification Number. If this property has changed owners provide the date of change.
 3. Submit a copy of specs for all construction.
 4. All transactions must be check, money order, or credit/debit card and accompany a completed permit change.
 5. Within 30 days of the completion of the well, the printed water well report from WebDriller shall be submitted to the Township. (<https://www.webdrillersecure.dcnr.state.pa.us>)
-

CHESTNUTHILL TOWNSHIP, MONROE COUNTY, PA
CONTRACTOR CERTIFICATION

I, _____, make this certification as an authorized representative of _____, [Property Owner]. I hereby acknowledge that I have received, read and understood the Chestnuthill Township Ordinance No. 2017-01. I certify that, a person licensed by the Commonwealth of Pennsylvania pursuant to the Water Well Drillers License Act (found at 32 P.S. §645.1 et.seq.) to drill dig, drive, bore, core, wash, jet, construct, alter or repair Water Wells in the Commonwealth of Pennsylvania.

Date:

(State License #)

(Printed Name)

(Doing Business As)

(Signature)

Fee: \$100.00

Make Checks Payable to Chestnuthill Township

Credit/Debit Cards Accepted

Property Owner Name:

Property Owner Phone Number:

Property Owner Address:

Property Location:

14 Digit Parcel Identification Number:

Is the 911 Address Posted Correctly:

Yes

No

Contractor Name:

Contractor Phone Number:

Contractor Email:

Contractor Fax:

Contractor Address:

If the contractor is not the well driller please complete the well driller information below.

Well Driller Name:

Well Driller Phone Number:

Well Driller Email:

Well Driller Fax:

Well Driller Address:

I fully understand the provisions of this application and hereby certify that all information submitted is true and correct to the best of my knowledge

Applicant Signature: _____

Owner Signature: _____

Permit Number:

Date of Application:

Permit Status:

Reason (If Denied):

Approved

Denied

H.M. Beers
Sewage Enforcement Officer

Revised: 02/17

F. A Water Well permit shall be valid for a period of three (3) years from the issue date. If the work authorized by the permit is not completed within three (3) years, the permit shall expire and be without effect.

SECTION 117-5. Fee.

The fee for a Water Well permit shall be established from time to time by resolution of the Board of Supervisors.

SECTION 117-6. Location. Water Wells shall be located at the following minimum horizontal isolation distances to existing or potential sources of pollution.

<u>Source of Pollution</u>	<u>Minimum Horizontal Isolation Distance</u>
Lakes, ponds, streams or other surface waters	25 feet
Preparation area or storage area of hazardous spray material, fertilizers or chemicals, salt piles	100 feet
Gravity sewer lines and drains carrying domestic sewage or industrial waste	10 feet
Septic tanks, aerobic tanks or holding tanks	50 feet
Subsurface sewage disposal systems, elevated sand mounds, other sewage disposal fields	100 feet
Sewage seepage pits, cesspools	100 feet
Farm silos, privies and underground fuel tanks	100 feet
Spray irrigation sites, sewage sludge and septage Disposal sites	100 feet
Property lines, driveways, easements and private roads or rights-of-way	10 feet
Public road or right-of-way	25 feet
Building foundations (except for buildings enclosing)	10 feet

SECTION 117-7. Water Well Horizontal Isolation Distance Exemption.

(a) Any minimum horizontal isolation distance requirement for the placement of Water Wells as set forth in Section 117-6 is not applicable if the Board of Supervisors finds that the

Site Plan

(See #1 of the Front Page Requirements)

Applicant Signature: _____

Date: _____

Road Name

If we can't find you, we can't help you!

Correct Placement



Incorrect Placement



Some DOs and DON'Ts to help you with proper sign placement

Do place your sign...

- With 4 inch numbers
- At least 3 feet but no greater than 6 feet above the ground surface
- On the same side as your driveway
- So it is adequately visible from both directions of travel
- At least 4 feet off of the edge of the paved roadway
- Call 811 (One Call) before your dig!

Don't...

- Purchase a sign with 3 inch numbers
- Place the sign across the street from your driveway
- Place the sign below 3 feet as it may be obscured by snow in the winter.

Chestnuthill Township Ordinance 2011-03 requires reflective emergency response signs be placed at all driveway entrances to occupied structures. Be sure your sign measure 6" by 18" reflective green with 4" reflective white numbers on both sides. Signs can be purchased at any retail store which carries the 6" x 18" reflective green sign and 4" reflective white numbers.